# NAS NORTH ISLAND - NAVY REGION SOUTHWEST NAVY ENVIRONMENTAL LEADERSHIP PROGRAM

# **CLEANUP**

# DMLS™-MULTI-LAYER GROUNDWATER SAMPLING

#### **LEAD ACTIVITY**

Southwest Division Naval Facilities Engineering Command (SWDIV)

#### **STATUS**

Complete

## **MISSION**

Provide in situ real-time groundwater sampling and analysis

### REQUIREMENT

Remediation efforts at Navy sites require periodic groundwater sampling. A device is required to determine a vertical profile of groundwater contaminants.



Dialysis Cell

#### DESCRIPTION

Naval Air Station (NAS) North Island is demonstrating the Diffusion Multi-Layer Sampler (DMLS™) at Installation Restoration (IR) Site 9 as part of a groundwater remediation effort. The DMLS™ is a passive, multi-layer sampling device based on dialysis cell technology. The dialysis cell is a polypropylene vial filled with distilled water and covered by permeable membranes at both ends. When a dialysis cell is exposed to groundwater with concentrations of solutes different from that inside the cell, a natural process of diffusion of solutes from higher concentrations to lower concentrations occurs.

The DMLS<sup>™</sup> consists of a rod (or connected rods) with openings at specific intervals to accommodate the proprietary dialysis cells. Each cell is an independent sampling unit, separated by flexible seals that fit the



DMLS\*\* Sampling at NAS North Island

inner diameter of the well. At this point the cell contains a representative sample of the groundwater from a narrow layer of the aquifer.

At IR Site 9, NAS North Island is applying NoVOCs<sup>™</sup> in-well stripping technology (see NoVOCs<sup>™</sup> In-Well Stripping Technology) for groundwater remediation. Periodic sampling of the groundwater is necessary to monitor the remediation efforts. In May

1998, a demonstration of the DMLS™ was conducted at an existing monitoring well to determine the levels of contaminants in the groundwater. Samples were collected from a monitoring well located approximately 100 feet upgradient of the NoVOCs™ treatment well. Results from the demonstration at NAS North Island indicate that the DMLS™ device detects contaminants at multiple layers within the well, providing a detailed vertical profile of the contaminated area.

#### **BENEFITS**

- No purging or external energy source is required because sampling is accomplished through natural diffusion across the membrane
- Since no well purging is required, there is a reduction in generation of investigation-derived waste
- The DMLS<sup>™</sup> is extremely precise; layer intervals can be defined as close as 3 inches with no cross-contamination occurring between samples. All layers are sampled concurrently within a well
- Because cells are sealed upon retrieval from the well, alteration or contamination of samples is virtually impossible, maintaining high sample integrity
- The DMLS™ is portable and can easily be moved from well to well for comprehensive and accurate groundwater sampling at any given site

# **ACCOMPLISHMENTS/CURRENT STATUS**

Date	Activity
MAY 1998	DMLS™ sampling device demonstrated at Site 9
JUL 1998	Demonstration project results submitted
SEP 1998	Site profile of contaminants continued at Site 9
JUN 1999	Performed cost benefit study for use of DMLS™

# **FUTURE PLAN OF ACTION & MILESTONES**

Not Applicable

# COLLABORATION/TECHNOLOGY TRANSFER

U.S. Filter/Johnson Screens developed the DMLS™ groundwater-sampling device. Bechtel conducted the sampling program for Southwest Division at NAS North Island.

#### **BIBLIOGRAPHY**

- Vendors Brochure: "Advanced Technology for Precise Groundwater Sampling"
   DMI S™
- The Passive Multi-layer Sampler, Johnson Screens.
- Bechtel, DMLS™ Demonstration Project Results. July, 1998.

#### RELATED GOVERNMENT INTERNET SITES

None available

# **RELATED NAVY GUIDEBOOK REQUIREMENTS**

02039 Solid Waste Management Unit (SWMU) Cleanup